



Page 1/12

Safety Data Sheet acc. to OSHA HCS & WHMIS

Printing date 11/23/2016 Reviewed on 11/22/2016

1 Identification

· Product identifier: C101-A

 $\cdot \ Trade \ name: \underline{CANTESCO@SOLVENT\ CLEANER-C101\ STANDARD}$

· Item number(s): C101-A

· MSDS Number: 12

• **UPC bar code(s):** 699913-10385

· Application of the substance / the mixture SOLVENT CLEANER

· Manufacturer/Supplier: WWW.CANTESCO.COM

USA ADDRESS:

KEMPER SYSTEM AMERICA, INC. 1200 NORTH AMERICA DR, WEST SENECA, NY 14224

PH (716) 558-2971

CANADIAN ADDRESS:

KEMPER SYSTEM CANADA 6345 NETHERHART ROAD MISSISSAUGA, ON L5T 1B8 PH (905) 624-5463 FAX (905) 624-2840

· Information department:

Tel: (716) 558-2971 ext. 228

www.cantesco.com

· Emergency telephone number:

ChemTrec (800) 424-9300

Canada only: CANUTEC (Call collect) (613) 996-6666

2 Hazard(s) identification

· Classification of the substance or mixture:



GHS02 Flame

Flammable Aerosols - Category 1 H222 Extremely flammable aerosol.



GHS04 Gas cylinder

Gases Under Pressure - Compressed Gas

H280 Contains gas under pressure; may explode if heated.



GHS08 Health hazard

Aspiration Hazard - Category 1

H304 May be fatal if swallowed and enters airways.

(Contd. on page 2)

Printing date 11/23/2016 Reviewed on 11/22/2016

Trade name: CANTESCO® SOLVENT CLEANER - C101 STANDARD

(Contd. of page 1)



Eye Irritation - Category 2A H319 Causes serious eye irritation.

Specific Target Organ Toxicity - Single Exposure - H336 May cause drowsiness or dizziness.

Category 3

- · Label elements
- · GHS label elements The product is classified and labeled according to the Globally Harmonized System (GHS).
- · Signal word: Danger

· Hazard-determining components of labeling:

Distillates (petroleum), hydrotreated light

propan-2-ol

acetone

butanone

· Hazard statements:

Extremely flammable aerosol.

Contains gas under pressure; may explode if heated.

Causes serious eye irritation.

May cause drowsiness or dizziness.

May be fatal if swallowed and enters airways.

· Precautionary statements:

Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.

Do not pierce or burn, even after use.

Do not spray on an open flame or other ignition source.

Avoid breathing mist/vapours/spray.

Wear eye protection / face protection.

Wash thoroughly after handling.

Use only outdoors or in a well-ventilated area.

IF SWALLOWED: Immediately call a POISON CENTER/ doctor.

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

IF INHALED: Call a doctor if you feel unwell.

IF INHALED: Remove person to fresh air and keep comfortable for breathing.

If skin irritation occurs: Get medical advice/attention.

If eye irritation persists: Get medical advice/attention.

Do NOT induce vomiting.

IF ON SKIN: Wash with plenty of soap and water.

Take off contaminated clothing and wash it before reuse.

Store locked up.

Protect from sunlight. Do not expose to temperatures exceeding 50 °C/122 °F.

Store in a well-ventilated place.

Dispose of contents/container in accordance with local/regional/national/international regulations.

· NFPA ratings (scale 0 - 4):



Printing date 11/23/2016 Reviewed on 11/22/2016

Trade name: CANTESCO® SOLVENT CLEANER - C101 STANDARD

(Contd. of page 2)

3 Composition/information on ingredients

- · Chemical characterization: Mixtures
- **Description:** Mixture of the substances listed below with nonhazardous additions.

· Dangerous	· Dangerous components:		
64742-47-8	Distillates (petroleum), hydrotreated light	30-60% w/w	
68476-86-8	Petroleum gases, liquefied, sweetened	10-30% w/w	
67-63-0	propan-2-ol	10-30% w/w	
67-64-1	acetone	≤10% w/w	
78-93-3	butanone	3-7% w/w	
108-65-6	2-methoxy-1-methylethyl acetate	1-5% w/w	

[·] Additional information: Exact concentrations are being withheld as trade secrets.

4 First-aid measures

- · General information: Symptoms of poisoning may even occur after several hours.
- · After inhalation:

Supply fresh air. If required, provide artificial respiration. Keep patient warm. Consult doctor if symptoms persist. In case of unconsciousness place patient stably in side position for transportation.

· After skin contact:

Wash with plenty of soap and water. Take off contaminated clothing and wash it before reuse. If skin irritation occurs: Get medical advice/attention.

· After eve contact:

Rinse cautiously with water for several minutes. Remove contact lenses if present and easy to do – continue rinsing. If eye irritation persists get medical advice/attention.

- · After swallowing: If swallowed, do not induce vomiting. Get medical attention right away.
- · Most important symptoms and effects, both acute and delayed: No further relevant information available.
- · Indication of any immediate medical attention and special treatment needed:

No further relevant information available.

5 Fire-fighting measures

- · Suitable extinguishing agents: CO2, sand, extinguishing powder. Do not use water.
- · For safety reasons unsuitable extinguishing agents: Water with full jet
- · Special hazards arising from the substance or mixture: No further relevant information available.
- · Protective equipment: Mouth respiratory protective device.

6 Accidental release measures

· Personal precautions, protective equipment and emergency procedures:

Wear protective equipment. Keep unprotected persons away.

· Environmental precautions:

Do not allow product to reach sewage system or any water course.

Inform respective authorities in case of seepage into water course or sewage system.

Do not allow to enter sewers/ surface or ground water.

· Methods and material for containment and cleaning up:

Dispose contaminated material as waste according to item 13.

Ensure adequate ventilation.

Do not flush with water or aqueous cleansing agents

(Contd. on page 4)

(Contd. of page 3)

Safety Data Sheet acc. to OSHA HCS & WHMIS

Printing date 11/23/2016 Reviewed on 11/22/2016

Trade name: CANTESCO® SOLVENT CLEANER - C101 STANDARD

· Reference to other sections:

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

7 Handling and storage

· Handling

· Precautions for safe handling:

Ensure good ventilation/exhaustion at the workplace.

Open and handle receptacle with care.

· Information about protection against explosions and fires:

Do not spray on a naked flame or any incandescent material.

Keep ignition sources away - Do not smoke.

Protect against electrostatic charges.

Keep respiratory protective device available.

Pressurized container: protect from sunlight and do not expose to temperatures exceeding 50 °C, i.e. electric lights. Do not pierce or burn, even after use.

·Storage

· Requirements to be met by storerooms and receptacles:

Store in a cool location.

Observe official regulations on storing packagings with pressurized containers.

- · Information about storage in one common storage facility: Not required.
- · Further information about storage conditions:

Keep receptacle tightly sealed.

Do not gas tight seal receptacle.

Store in cool, dry conditions in well sealed receptacles.

Protect from heat and direct sunlight.

· **Specific end use(s):** No further relevant information available.

8 Exposure controls/personal protection

· Additional information about design of technical systems: No further data; see item 7.

· Components v	· Components with limit values that require monitoring at the workplace:		
64742-47-8 Di	64742-47-8 Distillates (petroleum), hydrotreated light		
EL (Canada)	Long-term value: 200 mg/m³		
	Skin		
67-63-0 propa	67-63-0 propan-2-ol		
EL (Canada)	Short-term value: 400 ppm		
	Long-term value: 200 ppm		
EV (Canada)	Short-term value: 400 ppm		
	Long-term value: 200 ppm		
PEL (USA)	Long-term value: 980 mg/m³, 400 ppm		
REL (USA)	Short-term value: 1225 mg/m³, 500 ppm		
	Long-term value: 980 mg/m³, 400 ppm		
TLV (USA)	Short-term value: 984 mg/m³, 400 ppm		
	Long-term value: 492 mg/m³, 200 ppm		
	BEI (Cont. or one 5)		

(Contd. on page 5)

Printing date 11/23/2016 Reviewed on 11/22/2016

Trade name: CANTESCO® SOLVENT CLEANER - C101 STANDARD

67-64-1 aceto		td. of p
EL (Canada)		
EL (Canada)	Short-term value: 500 ppm Long-term value: 250 ppm	
EV (Canada)		
L v (Canada)	Long-term value: 500 ppm	
PEL (USA)	Long-term value: 2400 mg/m³, 1000 ppm	
REL (USA)	Long-term value: 590 mg/m³, 250 ppm	
TLV (USA)	Short-term value: 1187 mg/m³, 500 ppm	
	Long-term value: 594 mg/m³, 250 ppm BEI	
78-93-3 buta	none	
EL (Canada)	Short-term value: 100 ppm	
	Long-term value: 50 ppm	
EV (Canada)		
	Long-term value: 590 mg/m³, 200 ppm	
PEL (USA)	Long-term value: 590 mg/m³, 200 ppm	
REL (USA)	Short-term value: 885 mg/m³, 300 ppm Long-term value: 590 mg/m³, 200 ppm	
TLV (USA)		
ILV (USA)	Short-term value: 885 mg/m³, 300 ppm Long-term value: 590 mg/m³, 200 ppm	
	BEI	
108-65-6 2-m	nethoxy-1-methylethyl acetate	
EL (Canada)	Short-term value: 75 ppm	
	Long-term value: 50 ppm	
	Long-term value: 270 mg/m³, 50 ppm	
	Long-term value: 50 ppm	
	vith biological limit values:	
67-63-0 prop		
BEI (USA) 4	:0 mg/L Medium: urine	
	Cime: end of shift at end of workweek	
	Parameter: Acetone (background, nonspecific)	
67-64-1 aceto	one	
BEI (USA) 5		
Medium: urine		
Time: end of shift		
	Parameter: Acetone (nonspecific)	
78-93-3 buta		
BEI (USA) 2	mg/L Medium: urine	
	Cime: end of shift	
	Parameter: MEK	

- · Additional information: The lists that were valid during the creation were used as basis.
- · Personal protective equipment
- General protective and hygienic measures:

Keep away from foodstuffs, beverages and feed.
Immediately remove all soiled and contaminated clothing.

Wash hands before breaks and at the end of work.

(Contd. on page 6)

Printing date 11/23/2016 Reviewed on 11/22/2016

Trade name: CANTESCO® SOLVENT CLEANER - C101 STANDARD

(Contd. of page 5)

Store protective clothing separately.

Avoid contact with the eyes and skin.

- Breathing equipment: Use suitable respiratory protective device in case of insufficient ventilation.
- · Protection of hands:



Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.

· Material of gloves:

Butyl rubber, BR

Nitrile rubber, NBR

· Eye protection:



Tightly sealed goggles

9 Physical and chemical proper	rties
· Form: · Color: · Odor: · Odor threshold:	Liquid Under Pressure Colorless Solvent-like Not determined.
· pH-value:	Not determined.
· Change in condition Melting point/Melting range: Boiling point/Boiling range:	-95,3 °C >56 °C
· Flash point:	-104 °C (Prop. (-17 °C liq.))
· Flammability (solid, gaseous):	Extremely flammable liquefied gas.
· Ignition temperature:	210 °C
· Decomposition temperature:	Not determined.
· Auto igniting:	Product is not selfigniting.
· Danger of explosion:	Product is not explosive. However, formation of explosive air/vapor mixtures are possible.
· Explosion limits Lower: Upper:	0,5 Vol % 13,0 Vol %
· Vapor pressure at 20 °C:	233 hPa
Density at 20 °C: Relative density: Vapour density at 20 °C: Evaporation rate:	0,8 g/cm³ Not determined. 4,6 (AIR=1) Not applicable.
	(Contd. on page 7)

(Contd. on page 7)

Printing date 11/23/2016 Reviewed on 11/22/2016

Trade name: CANTESCO® SOLVENT CLEANER - C101 STANDARD

(Contd. of page 6) · Solubility in / Miscibility with Not miscible or difficult to mix. Water: · Partition coefficient (n-octanol/water): Not determined. · Viscosity: **Dynamic:** Not determined. **Kinematic:** Not determined. **Solvent content: Organic solvents:** 33.3 % · Other information VOC Content: 693.090 g/l

>99 %

154.020 g/l

 $2.472 \text{ g O}_3/\text{g}$

10 Stability and reactivity

- · Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- · Possibility of hazardous reactions: No dangerous reactions known.
- · Conditions to avoid: No further relevant information available.
- · Incompatible materials: No further relevant information available.
- · Hazardous decomposition products: No dangerous decomposition products known.

VOC %:

HAP Content

MIR Value

11 Toxicological information

- · Information on toxicological effects:
- · Acute toxicity
- · Specific symptoms in biological assay: No further relevant information available.
- · Primary irritant effect
- · on the skin: No irritant effect.
- · on the eve: Irritating effect.
- · Sensitization: No sensitizing effects known.
- · Additional toxicological information:

The product shows the following dangers according to internally approved calculation methods for preparations:

Harmful Irritant

· Carcinogenic categories

· IARC (International Agency for Research on Cancer)
67-63-0 propan-2-ol 3

· NTP (National Toxicology Program)

None of the ingredients is listed.

12 Ecological information

- · Aquatic toxicity: No further relevant information available.
- Persistence and degradability: No further relevant information available.
- · Behavior in environmental systems
- · Bioaccumulative potential: No further relevant information available.

(Contd. on page 8)

Printing date 11/23/2016 Reviewed on 11/22/2016

Trade name: CANTESCO® SOLVENT CLEANER - C101 STANDARD

(Contd. of page 7)

- · Mobility in soil: No further relevant information available.
- · Additional ecological information
- · General notes:

Water hazard class 3 (Self-assessment): extremely hazardous for water

Do not allow product to reach ground water, water course or sewage system, even in small quantities.

Danger to drinking water if even extremely small quantities leak into the ground.

· Other adverse effects: No further relevant information available.

13 Disposal considerations

- · Waste treatment methods
- · Recommendation:

Must not be disposed of together with household garbage. Do not allow product to reach sewage system.

- · Uncleaned packagings
- · Recommendation:

Place in a sealed container and label as waste. Place in a safe area, and comply with all federal, state, provincial and local regulations for disposal.

14 Transport information

1	TAT	NT	mh	~
		- 1	mn	

· DOT, TDG, IMDG, IATA UN1950

· UN proper shipping name

DOT Aerosols, flammable
TDG 1950 Aerosols
IMDG AEROSOLS

· IATA AEROSOLS, flammable

- · Transport hazard class(es)
- · DOT



• Class 2.1 • Label 2.1

· TDG (Transport dangerous goods):



· Class 2 5F Gases

· Label 2.1

(Contd. on page 9)

Printing date 11/23/2016 Reviewed on 11/22/2016

Trade name: CANTESCO® SOLVENT CLEANER - C101 STANDARD

	(Contd. of page
· IMDG, IATA	
· Class · Label	2.1 2.1
· Packing group · DOT, TDG, IMDG, IATA	Not regulated
· Environmental hazards: · Marine pollutant:	No
 Special precautions for user: Danger code (Kemler): EMS Number: Stowage Code Segregation Code	Warning: Gases F-D,S-U SW1 Protected from sources of heat. SW22 For AEROSOLS with a maximum capacity of 1 litr Category A. For AEROSOLS with a capacity above 1 litr Category B. For WASTE AEROSOLS: Category C, Clear living quarters. SG69 For AEROSOLS with a maximum capacity of 1 litr Segregation as for class 9. Stow "separated from" class 1 exce for division 1.4. For AEROSOLS with a capacity above 1 litr Segregation as for the appropriate subdivision of class 2. For WASTE AEROSOLS: Segregation as for the appropriate subdivision of class 2.
• Transport in bulk according to Annex MARPOL73/78 and the IBC Code:	II of Not applicable.
 Transport/Additional information: DOT Quantity limitations Remarks: 	On passenger aircraft/rail: 75 kg On cargo aircraft only: 150 kg This product may be shipped according to the Limited Quanti Exceptions provided that all Limited Quantity shippir requirements are met.
· TDG · Excepted quantities (EQ)	This product may be shipped according to the Limited Quanti Exceptions provided that all Limited Quantity shippir requirements are met. Code: E0 Not permitted as Excepted Quantity
· IMDG · Limited quantities (LQ) · Excepted quantities (EQ) · Remarks:	1L Code: E0 Not permitted as Excepted Quantity This product may be shipped according to the Limited Quantity Exceptions provided that all Limited Quantity shippin requirements are met.

Printing date 11/23/2016 Reviewed on 11/22/2016

Trade name: CANTESCO® SOLVENT CLEANER - C101 STANDARD

(Contd. of page 9)

	(conta. or page /)
· IATA · Remarks:	This product may be shipped according to the Limited Quantity Exceptions provided that all Limited Quantity shipping requirements are met.
· UN "Model Regulation":	UN 1950 AEROSOLS, 2.1

15 Regulatory information

- · Safety, health and environmental regulations/legislation specific for the substance or mixture
- · Sara
- · Section 355 (extremely hazardous substances):

None of the ingredients is listed.

· Section 313 (Specific toxic chemical listings):

67-63-0 propan-2-ol

78-93-3 butanone

· TSCA (Toxic Substances Control Act):

All ingredients are listed or exempted

- · Proposition 65
- · Chemicals known to cause cancer:

None of the ingredients is listed.

· Chemicals known to cause reproductive toxicity for females:

None of the ingredients is listed.

· Chemicals known to cause reproductive toxicity for males:

None of the ingredients is listed.

· Chemicals known to cause developmental toxicity:

None of the ingredients is listed.

- · Canadian substance listings
- · Canadian Domestic Substances List (DSL/NDSL):

All ingredients are listed.

· Canadian Ingredient Disclosure list (limit 0.1%):

None of the ingredients is listed.

 \cdot Canadian Ingredient Disclosure list (limit 1%):

67-63-0 propan-2-ol

67-64-1 acetone

78-93-3 butanone

- · GHS label elements The product is classified and labeled according to the Globally Harmonized System (GHS).
- · Hazard pictograms



GHS02



GHS04



GHS07



GHS08

· Signal word Danger

Printing date 11/23/2016 Reviewed on 11/22/2016

Trade name: CANTESCO® SOLVENT CLEANER - C101 STANDARD

(Contd. of page 10)

· Hazard-determining components of labeling:

Distillates (petroleum), hydrotreated light

propan-2-ol

acetone

butanone

· Hazard statements

Extremely flammable aerosol.

Contains gas under pressure; may explode if heated.

Causes serious eye irritation.

May cause drowsiness or dizziness.

May be fatal if swallowed and enters airways.

· Precautionary statements

Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.

Do not pierce or burn, even after use.

Do not spray on an open flame or other ignition source.

Avoid breathing mist/vapours/spray.

Wear eye protection / face protection.

Wash thoroughly after handling.

Use only outdoors or in a well-ventilated area.

IF SWALLOWED: Immediately call a POISON CENTER/ doctor.

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do.

Continue rinsing.

IF INHALED: Call a doctor if you feel unwell.

IF INHALED: Remove person to fresh air and keep comfortable for breathing.

If skin irritation occurs: Get medical advice/attention.

If eye irritation persists: Get medical advice/attention.

Do NOT induce vomiting.

IF ON SKIN: Wash with plenty of soap and water.

Take off contaminated clothing and wash it before reuse.

Store locked up.

Protect from sunlight. Do not expose to temperatures exceeding 50 °C/122 °F.

Store in a well-ventilated place.

Dispose of contents/container in accordance with local/regional/national/international regulations.

· National regulations:

· Information about limitation of use:

Workers are not allowed to be exposed to the hazardous carcinogenic materials contained in this preparation. Exceptions can be made by the authorities in certain cases.

16 Other information

This MSDS format meets ANSI Z400.1-1998, OSHA 1910.1200 and WHMIS requirements. Kemper System America, Inc. provides the information contained herein in good faith but makes no representation as to its comprehensiveness or accuracy. This document is intended only as a guide to the appropriate precautionary handling of the material by a properly trained person using this product. Product use and conditions of use are beyond the control of Kemper System America, Inc. Warranty of materials is limited to test results of product performance as detailed in certificates of compliance. Interpretation of test results is the responsibility of end-user. No other warranties, expressed or implied, are made. Kemper System America, Inc is an ISO 9001:2008 and ISO 14001:2004 registered company.

- · Department issuing SDS: Product safety department
- · Contact: Stephen Nowicki
- · Date of preparation / last revision 11/23/2016 / 2

(Contd. on page 12)

Printing date 11/23/2016 Reviewed on 11/22/2016

Trade name: CANTESCO® SOLVENT CLEANER - C101 STANDARD

(Contd. of page 11)

· **Abbreviations and acronyms:** IMDG: International Maritime Code for Dangerous Goods

DOT: US Department of Transportation
IATA: International Air Transport Association
EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances
CAS: Chemical Abstracts Service (division of the American Chemical Society)

NFPA: National Fire Protection Association (USA) VOC: Volatile Organic Compounds (USA, EU)