






DUO STAND™ HEIGHT ADJUSTABLE 4 LEG PIPE ROLLER



Heavy duty four leg height adjustable, pin lock pipe stands

The B&B Duo pipe stand accommodates pipes up to 48" / 1,220 mm, is height adjustable and equipped with quick change style heads.

The Duo pipe stand has locking brakes on the wheels to secure the load for marking, layout or fit-up and is now supplied with folding legs as standard for ease of use and transport and has an ultra safe pin locking design.



Features and Advantages

- 75% increased LOAD capacity (heaviest duty in the industry). 5,290 lbs. / 2,400 kg LOAD capacity (with steel wheels).
- Oversized square tube legs and braces for increased durability. 1" x 1.5" (largest in the industry).
- Folding legs for ease of transport and storage
- Self-centering head adjustment from either side
- Height adjustable 29" 42.5" / 74.5 108 cm

- 2" 48" / 51 1,220 mm pipe diameter capacity
- Quick height adjustment with additional fine thread for workpiece levelling
- 'Trued' wheels eliminate 'corkscrewing' of pipe during rotation
- Lockable wheels to hold pipe in position
- Safety pins to lock stand at working height
- CE conformity certified with CE mark



DUO STAND™ HEIGHT ADJUSTABLE 4 LEG PIPE ROLLER



The Duo pipe stand utilises a fine adjustment thread. This allows precise adjustment of the working height and can compensate for uneven surfaces to ensure the pipe is level at all times.

The unique safety locking pins allow the Duo pipe stand to be fixed at various working heights.


Final adjustment and levelling can then be made with the fine adjustment handle.



Simple head changeover

The quick change style heads increase the versatility of the Duo pipe stand. The heads can be changed without tools in a matter of seconds to adapt to almost all applications.

Roller wheels are available in steel, stainless steel or phenolic version. Ball transfer heads are available in steel or stainless steel.









DUO STAND™ COMPLETE KITS





PART NO	DESCRIPTION			LOAD C	APACITY
4375	Duo Pipe Stand w/steel wheels (pair)			5,290 lbs.	2,400 kg
DIMENSIONS (L x W x H)		ADJUSTMENT HEIGHT		SHIPPING WEIGHT	
32" x 24" x 29"	80 x 60 x 74.5 cm	29" - 42.5"	74.5 cm - 108 cm	56 lbs.	25.00 kg



PART NO	DESCRIPTION			LOAD C	APACITY
4390	Duo Pipe Stand w/stainless steel wheels (pair)			5,290 lbs.	2,400 kg
DIMENSIONS (L x W x H)		ADJUSTMENT HEIGHT		SHIPPING WEIGHT	
32" x 24" x 29"	80 x 60 x 74.5 cm	29" - 42.5"	74.5 cm - 108 cm	56 lbs.	25.00 kg



PART NO	DESCRIPTION			LOAD C	APACITY
4380	Duo Pipe Stand w/phenolic wheels (pair)			1,000 lbs.	450 kg
DIMENSIONS (L x W x H)		ADJUSTMENT HEIGHT		SHIPPING WEIGHT	
32" x 24" x 29"	80 x 60 x 74.5 cm	29" - 42.5"	74.5 cm - 108 cm	51 lbs.	23.00 kg



1,000 lbs.

PART NO	DESCRIPTION			LOAD C	APACITY
4385	Duo Pipe Stand w/stainless steel ball transfer (pair)			3,200 lbs.	1,450 kg
DIMENSIONS (L x W x H)		ADJUSTMENT HEIGHT		SHIPPING WEIGHT	
32" x 24" x 29"	80 x 60 x 74.5 cm	29" - 42.5"	74.5 cm - 108 cm	53 lbs.	24.00 kg

PART NO

DUO STAND™ HEAD OPTIONS

450 kg



PART NO 90039 DESCRIPTION: Duo pipe stand (base unit only)				
LOAD C	APACITY	SHIPPING	WEIGHT	
5,290 lbs.	2,400 kg	46.30 lbs.	21.00 kg	

PART NO	* 90067				PART NO	
DESCRIPTION: Quick change phenolic wheel heads (pair)					DESCRIPTION: Qu steel ball tran	
LOAD CA	APACITY	SHIPPING	WEIGHT		LOAD C	Α

4.90 lbs.

wheel heads (pa	luick change steel ir) / Quick change rheel heads (pair)	90065	* 90066
LOAD C	APACITY	SHIPPING	WEIGHT
5,290 lbs. 2,400 kg		9.40 lbs.	4.25 kg
DART NO	* 90068		

90065 / * 90066

PART NO	* 90068		
DESCRIPTION: Quick change stainless steel ball transfer heads (pair)			
LOAD C	APACITY	SHIPPING	WEIGHT
3,200 lbs.	1,450 kg	6.60 lbs.	3.00 kg



2.20 kg

